Printed Date: December 15, 2020 Version No.: 1.0 Revision: December 15, 2020

1 Identification

·Product identifier

·Trade name: ODOR NEUTRALIZING GEL BEADS 12 OZ COTTON & LINEN

•SKU NO.: 80411 •UPC: 0 89523 80411 1

·Recommended use of the chemical and restrictions on use

·Application of the substance/ mixture: Fresh air.

Details of the supplier of the safety data sheet

·Manufacturer/Supplier:

WESTERN FRAGRANT CORP

7 CORPORATE PARK # 245 IRVINE 92606

Tel: 626 359 1000

Email: KEANEZ@WESTERNFRAGRANT.COM

·Further information obtainable from: WESTERN FRAGRANT CORP

·Emergency telephone number

US Poison Center

Tel: + 1 800 222 1222 (24 hours available)

2 Hazard(s) identification

·Classification of the substance or mixture:

This product is not classified according to OSHA 2012 Hazard Communication Standard (29 CFR 1910.1200).

·Classification system:

The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200) and extended by company and literature data.

- ·Label elements
- ·Labeling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)
- ·Hazard pictograms: Not applicable
- ·Signal word: Not applicable
- ·Hazard-determining components of the labeling: Not applicable
- ·Hazard statements: Not applicable
- ·Precautionary statement: Not applicable
- ·Hazards not otherwise classified (HNOC): No known otherwise classified hazards.

3 Composition/information on ingredients

·Chemical characterization: Mixture

•Description: Mixture of the substances listed below with nonhazardous additions.

·Components:			
CAS No.	Composition Name	w/w, %	
7732-18-5	Water	95.05	
64-17-5	Alcohol	2	
9003-04-7	Sodium polyacrylate	1.84	

Printed Date: December 15, 2020 Version No.: 1.0 Revision: December 15, 2020

Trade Name: ODOR NEUTRALIZING GEL BEADS 12 OZ COTTON & LINEN

9033-79-8	Acrylic acid sodium acrylate polymer	0.61
107-41-5	Hexylene glycol	0.0175-0.035
8008-56-8	Lemon oil	0.00105-0.0021
78-70-6	Linalool	0.00425
5989-27-5	Limonene	0.00403
101-86-0	Hexyl cinnamic aldehyde	0.0034
5392-40-5	Citral	0.00149
106-24-1	Geraniol	0.000002

4 First aid measures

·Description of first aid measures

After inhalation: Supply with fresh air. Call for doctor/physician if you feel unwell.

After skin contact: Wash skin with soap and water. If skin irritation/allergy happens: Get medical advice/attention.

After eye contact: Rinse eyes with water. If eye irritation persists: Get medical advice/attention. After swallowing: Rinse out mouth with water. If you feel unwell, get medical advice/attention.

- ·Information for doctor
- ·Most important symptoms and effects, both acute and delayed: No known symptoms or effects.
- •Indication of any immediate medical attention and special treatment needed: No special immediate medical attention or treatment needed.

5 Fire-fighting measures

- •Suitable extinguishing agents: Use CO₂, powder, water spray or alcohol resistant foam to extinguish. DO NOT use full jet water.
- •Special hazards arising from the substance or mixture: May produce irritant/allergic vapor under fire.
- ·Special protective equipment and precaution for firefighters

Protective equipment: Wear fully protective suit and mouth respiratory protective device.

6 Accidental release measures

·Personal precautions, protective equipment and emergency procedures:

Cut off the leakage source, and collect spillage timely; Ensure adequate ventilation; Avoid contact with eyes

·Environmental precautions:

Do not allow the product to enter sewers/surface or ground water.

Inform respective authorities in case of seepage into water course or sewages system.

·Methods and material for containment and cleaning up:

Pick up mechanically; Dispose contaminated material as waste according to item 13.

7 Handling and storage

·Handling

Printed Date: December 15, 2020 Version No.: 1.0 Revision: December 15, 2020

Trade Name: ODOR NEUTRALIZING GEL BEADS 12 OZ COTTON & LINEN

- ·Precautions for safe handling: Avoid contact with eyes.
- ·Information about fire and explosion protection: Normal measures for preventive fire protection.
- ·Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Store in a cool and well-ventilation place.
- Information about storage in one common storage facility: Keep away out of reach of children.
- ·Further information about storage conditions: Store locked up.

8 Exposure controls/personal protection

·Components with limit values that require monitoring at the workplace:

CAS No.	Composition Name	Limit value
		OSHA PEL: 1000 ppm (1900 mg/m 3 8-hour TWA;
64-17-5	Alcohol	NIOSH REL: 1000 ppm (1900 mg/m 3 Up to 10-hour TWA;
04-17-3		ACGIH TLV: 1000 ppm STEL;
		Cal/OSHA PEL: 1000 ppm (1900 mg/m 3) 8-hour TWA
107-41-5	Hexylene glycol	ACGIH TLV: 25 ppm Ceiling

- •Additional information: The lists that were valid during the creation were used as basis.
- Based on the composition shown in section 3, the following measures are suggested for occupational safety measure:
- ·Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety practice; Wash hands and face after handling; See section 7 for information about design of technical facilities.

- ·Personal protective equipment:
- ·Breathing equipment: Suitable respiratory protective device recommended.
- •Protection of hands: No special protection of hands required.
- •Eye protection: No special eye protection required.
- ·Body Protection: No special body protection required.

9 Physical and chemical properties					
·Information on basic physical and chemical properties					
·Appearance:					
Form	Semisolid				
Color	Colorless				
Odor	COTTON & LINEN				
Odor threshold	Not determined.				
·pH-value	Not determined.				
·Change in condition					
Melting point/melting range	Not determined.				
Boiling point and boiling range Not determined.					
•Freezing pointNot determined.•Flash point $>93 \text{C}$ (closed cup)					
			·Flammability(solid, gas) Not flammable solid.		

Printed Date: December 15, 2020 Version No.: 1.0 Revision: December 15, 2020

Trade Name: ODOR NEUTRALIZING GEL BEADS 12 OZ COTTON & LINEN

T) 1/1 /	N . I I
·Decomposition temperature	Not determined.
·Self-ignition	Not determined.
·Danger of explosion	Product dose not present explosive hazard.
·Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
·Oxidizing properties	Not oxidizing agent
·Vapor pressure	Not determined.
·Density	Not determined.
·Relative density	Not determined.
·Vapor density	Not determined.
·Evaporation rate	Not determined.
·Solubility in/Miscibility with	
Water	Soluble in water
·Partition coefficient (n-octanol/water)	Not determined.
·Viscosity	
Dynamic	Not determined.
Kinematic	Not determined.
·Other information	Not determined.

10 Stability and reactivity

•Reactivity: No decomposition if used according to specification.

•Chemical stability: Stable under recommended storage conditions.

·Possibility of hazardous reactions: No known hazardous reaction.

•Conditions to avoid: High temperature and ignition source.

·Incompatible materials: Strong acid and oxidizing agents.

·Hazardous decomposition products: No known hazardous decomposition products.

11 Toxicological information

·Acute toxicity: I	Acute toxicity: Not acute toxicity mixture.			
LD50/LC50 val	LD50/LC50 values that is relevant for classification:			
64-17-5 Alcohol Rat LD50-oral 7060 mg/kg				
Rabbit	LD50-oral	6300 mg/kg		
Guinea pig	LD50-oral	5560mg/kg		
Mouse	LD50-oral	3450 mg/kg		
LC50-inhalation 39000mg/m3/4H				

Printed Date: December 15, 2020 Version No.: 1.0 Revision: December 15, 2020

Trade Name: ODOR NEUTRALIZING GEL BEADS 12 OZ COTTON & LINEN

Rat LD50-oral >40000mg/kg 107-41-5 Hexylene glycol Rat LD50-oral 3700 mg/kg LC50-inhalation > 310mg/m³/1H Mouse LD50-oral 3097 mg/kg Guinea pig LD50-oral 2800 mg/kg Rabbit LC50-skin 8560uL/kg 5989-27-5 Limonene Rabbit LD50-skin > 5000mg/kg Rat LD50-oral 4400mg/kg Mouse LD50-oral 5600mg/kg 101-86-0 Hexyl cinnamic aldehyde Rat LD50-oral 3100mg/kg Mouse LD50-oral 2300mg/kg 5392-40-5 Citral Rabbit LD50-skin 2250mg/kg Rat LD50-oral 4960mg/kg Mouse LD50-oral 6000mg/kg 106-24-1 Geraniol Rabbit LD50-skin >5000mg/kg		dium polyacrylate			
Rat	Rat	LD50-oral	>40000mg/kg		
Mouse LD50-oral $3097 mg/kg$ Guinea pig LD50-oral $2800 mg/kg$ Rabbit LC50-skin $8560 \mu L/kg$ $5989-27-5$ Limonene Rabbit LD50-skin $>5000 mg/kg$ Rat LD50-oral $4400 mg/kg$ Mouse LD50-oral $5600 mg/kg$ 101-86-0 Hexyl cinnamic aldehyde Rat LD50-oral $3100 mg/kg$ Mouse LD50-oral $2300 mg/kg$ $5392-40-5$ Citral Rabbit LD50-oskin $2250 mg/kg$ Rat LD50-oral $4960 mg/kg$ Mouse LD50-oral $6000 mg/kg$ ID50-oral $6000 mg/kg$	107-41-5 Hex	ylene glycol			
Mouse LD50-oral 3097 mg/kg Guinea pig LD50-oral 2800 mg/kg Rabbit LC50-skin 8560uL/kg 5989-27-5 Limore Rabbit LD50-skin > 5000mg/kg Rat LD50-oral 4400mg/kg Mouse LD50-oral 5600mg/kg 101-86-0 Hexyl cinnamic aldehyde Rat LD50-oral 3100mg/kg Mouse LD50-oral 2300mg/kg 5392-40-5 Citral Rabbit LD50-skin 2250mg/kg Rat LD50-oral 4960mg/kg Mouse LD50-oral 6000mg/kg 106-24-1 Geratio	Rat	LD50-oral	3700 mg/kg		
Guinea pig LD50-oral 2800 mg/kg Rabbit LC50-skin 8560uL/kg 5989-27-5 Limome Rabbit LD50-skin > 5000mg/kg Rat LD50-oral 4400mg/kg Mouse LD50-oral 5600mg/kg 101-86-0 Hexyl cinnamic aldehyde Rat LD50-oral 3100mg/kg Mouse LD50-oral 2300mg/kg 5392-40-5 Citral Rabbit LD50-skin 2250mg/kg Rat LD50-oral 4960mg/kg Mouse LD50-oral 6000mg/kg 106-24-1 Geraniol		LC50-inhalation	$> 310 mg/m^3/1H$		
Rabbit LC50-skin 8560uL/kg 5989-27-5 Limonene Rabbit LD50-skin > 5000mg/kg Rat LD50-oral 4400mg/kg Mouse LD50-oral 5600mg/kg 101-86-0 Hexyl cinnamic aldehyde Rat LD50-oral 3100mg/kg Mouse LD50-oral 2300mg/kg 5392-40-5 Citral Rabbit LD50-skin 2250mg/kg Rat LD50-oral 4960mg/kg Mouse LD50-oral 6000mg/kg 106-24-1 Geraniol	Mouse	LD50-oral	3097 mg/kg		
5989-27-5 Limonene Rabbit LD50-skin > 5000mg/kg Rat LD50-oral 4400mg/kg Mouse LD50-oral 5600mg/kg 101-86-0 Hexyl cinnamic aldehyde Rat LD50-oral 3100mg/kg Mouse LD50-oral 2300mg/kg 5392-40-5 Citral Rabbit LD50-skin 2250mg/kg Rat LD50-oral 4960mg/kg Mouse LD50-oral 6000mg/kg 106-24-1 Geraniol	Guinea pig	LD50-oral	2800 mg/kg		
Rabbit LD50-skin > 5000mg/kg Rat LD50-oral 4400mg/kg Mouse LD50-oral 5600mg/kg 101-86-0 Hexyl cinnamic aldehyde Rat LD50-oral 3100mg/kg Mouse LD50-oral 2300mg/kg 5392-40-5 Citral Rabbit LD50-skin 2250mg/kg Rat LD50-oral 4960mg/kg Mouse LD50-oral 6000mg/kg 106-24-1 Geraniol	Rabbit	LC50-skin	8560uL/kg		
Rat LD50-oral 4400mg/kg Mouse LD50-oral 5600mg/kg 101-86-0 Hexyl cinnamic aldehyde Rat LD50-oral 3100mg/kg Mouse LD50-oral 2300mg/kg 5392-40-5 Citral Rabbit LD50-skin 2250mg/kg Rat LD50-oral 4960mg/kg Mouse LD50-oral 6000mg/kg 106-24-1 Geraniol	5989-27-5 Lin	monene			
Mouse LD50-oral 5600mg/kg 101-86-0 Hexyl cinnamic aldehyde Rat LD50-oral 3100mg/kg Mouse LD50-oral 2300mg/kg 5392-40-5 Citral Rabbit LD50-skin 2250mg/kg Rat LD50-oral 4960mg/kg Mouse LD50-oral 6000mg/kg 106-24-1 Geraniol	Rabbit	LD50-skin	> 5000mg/kg		
101-86-0 Hexyl cinnamic aldehyde Rat LD50-oral 3100mg/kg Mouse LD50-oral 2300mg/kg 5392-40-5 Citral Rabbit LD50-skin 2250mg/kg Rat LD50-oral 4960mg/kg Mouse LD50-oral 6000mg/kg 106-24-1 Geraniol	Rat	LD50-oral	4400mg/kg		
Rat LD50-oral 3100mg/kg Mouse LD50-oral 2300mg/kg 5392-40-5 Citral Rabbit LD50-skin 2250mg/kg Rat LD50-oral 4960mg/kg Mouse LD50-oral 6000mg/kg 106-24-1 Geraniol	Mouse	LD50-oral	5600mg/kg		
Mouse LD50-oral 2300mg/kg 5392-40-5 Citral Rabbit LD50-skin 2250mg/kg Rat LD50-oral 4960mg/kg Mouse LD50-oral 6000mg/kg 106-24-1 Geraniol	101-86-0 Hexyl cinnamic aldehyde				
5392-40-5 Citral Rabbit LD50-skin 2250mg/kg Rat LD50-oral 4960mg/kg Mouse LD50-oral 6000mg/kg 106-24-1 Geraniol	Rat	LD50-oral	3100mg/kg		
Rabbit LD50-skin 2250mg/kg Rat LD50-oral 4960mg/kg Mouse LD50-oral 6000mg/kg 106-24-1 Geraniol	Mouse	LD50-oral	2300mg/kg		
Rat LD50-oral 4960mg/kg Mouse LD50-oral 6000mg/kg 106-24-1 Geraniol	5392-40-5 Ci	tral			
Mouse LD50-oral 6000mg/kg 106-24-1 Geraniol	Rabbit	LD50-skin	2250mg/kg		
106-24-1 Geraniol	Rat	LD50-oral	4960mg/kg		
	Mouse	LD50-oral	6000mg/kg		
Rabbit LD50-skin >5000mg/kg	106-24-1 Geraniol				
	Rabbit	LD50-skin	>5000mg/kg		
Rat LD50-oral 3600mg/kg	Rat LD50-oral 3600mg/kg				

·Primary irritant effect

- ·Skin corrosion/irritation: Not irritant to skin.
- ·Serious eyes damage/irritation: Not irritant to eyes.
- ·Sensitization: Not sensitive to skin or respiratory.

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

·Carcinogenic categories

·IARC (International Agency for Research on Cancer):

П			
	64-17-5	Alcohol	1
	5989-27-5	Limonene	3

·NTP (National Toxicology Program): None of the ingredients is listed.

12 Ecological information

·Toxicity

Aquatic toxicity: Not hazardous to the aquatic environment.

$LC50/EC50/NOEC\ values\ that\ is\ relevant\ for\ classification:$

64-17-5 Alcohol

Short–term toxicity to fish LC50 (4 days) 14.2 - 15.4 g/L

Printed Date: December 15, 2020 Version No.: 1.0 Revision: December 15, 2020

Trade Name: ODOR NEUTRALIZING GEL BEADS 12 OZ COTTON & LINEN

	EC50 (4 days) 12.7 - 12.9 g/L		
Long–term toxicity to fish	NOEC (5 days) 250 - 1 000 mg/L		
Short-term toxicity to aquatic invertebrates	EC50 (48 h) 10 g/L		
	LC50 (48 h) 5.012 g/L		
Long-term toxicity to aquatic invertebrates	NOEC (10 days) 2 - 9.6 mg/L		
	LC50 (10 days) 1.806 g/L		
Toxicity to aquatic algae and cyanobacteria	EC50 (4 days) 675 - 22 000 mg/L		
Toxicity to microorganisms	EC50 (4 h) 5.8 g/L		
5989-27-5 Limonene			
Short–term toxicity to fish	LC50 (4 days) 460 - 720 μg/L		
	EC50 (4 days) 688 - 702 μg/L		
Long–term toxicity to fish	NOEC (28 days) 80 μg/L		
	EC50 (48 h) 307 - 510 µg/L		
Short-term toxicity to aquatic invertebrates	EC50 (24 h) 840 μg/L		
Long town tonicity to govern in investable at a	NOEC (21 days) 50 - 80 μg/L		
Long–term toxicity to aquatic invertebrates	EC50 (21 days) 188 µg/L		
Toxicity to aquatic algae and cyanobacteria	EC50 (72 h) 214 - 320 μg/L		
	NOEC (48 h) 90 μg/L		

·Persistence and degradability: Readily biodegradable.

64-17-5	Alcohol	$BOD_5=1.067$ - 1.236 g O_2/g test material; $COD=1.99$ g O_2/g test material; Readily biodegradable in water
5989-27-5	Limonene	Readily biodegradable in water

·Bio-accumulative potential: Low bio-accumulation.

	1	
64-17-5	Alcohol	Log Pow = -0.770.3 at 24 - 25 °C
5989-27-5	Limonene	Log Pow = 4.38 at 37 °C

·Mobility in soil: Low mobility in soil.

Additional ecological information

•Other adverse effects: No known other adverse effects.

13 Disposal consideration

- ·Waste treatment methods
- •Recommendation: Small quantities can be disposed together with household garbage; Large quantities disposed must be in according to local regulation.
- ·Un-cleaned packaging
- •Recommendation: Dispose of contents/container in according to the local regulation.

14 Transport information	!			
·UN-Number				

Printed Date: December 15, 2020 Version No.: 1.0 Revision: December 15, 2020

Trade Name: ODOR NEUTRALIZING GEL BEADS 12 OZ COTTON & LINEN

DOT, IMDG, IATA	Not regulated as dangerous goods, not applicable
·UN proper shipping name	
DOT, IMDG, IATA	Void
·Transport hazard class (es)	
DOT, IMDG, IATA	
Class	Void
Label	Void
·Packing group	
DOT, IMDG, IATA	Void
·Environmental hazardous	
Marine pollution	No
·Special precautions for user	Void
·Danger code (Kemler)	Void
·EMS number	Void
·Transport in bulk according to Annex	-
II of MARPOL73/78 and the IBC Code	
·UN "Model Regulation"	Void

15 Regulatory information

- ·Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara
- ·Section 355 (extremely hazardous substances): None of the ingredients is listed.
- •Section 313 (Specific toxic chemical listings): None of the ingredients is listed.

$\cdot TSCA\ (Toxic\ Substances\ Control\ Act):$

7732-18-5	Water
64-17-5	Alcohol
9003-04-7	Sodium polyacrylate
9033-79-8	Acrylic acid sodium acrylate polymer
107-41-5	Hexylene glycol
8008-56-8	Lemon oil
78-70-6	Linalool
5989-27-5	Limonene
101-86-0	Hexyl cinnamic aldehyde
5392-40-5	Citral
106-24-1	Geraniol

Proposition 65

- •Chemicals known to cause cancer: None of the ingredients is listed.
- •Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.
- •Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.
- •Chemicals known to cause developmental toxicity: None of the ingredients is listed.
- ·Washington, WAC 173-334-130 (CHCC): None of the ingredients is listed.

Printed Date: December 15, 2020 Version No.: 1.0 Revision: December 15, 2020

Trade Name: ODOR NEUTRALIZING GEL BEADS 12 OZ COTTON & LINEN

·Chemicals of Concern, published by Maine DEP on July, 2015: None of the ingredients is listed.

·Chemicals of High Concern to Children, published by Department of Health, Vermont, Rev Date Nov 24, 2014: None of the ingredients is listed.

·High Priority Chemicals of Concern for children's Health, Oregon, update on May 18, 2016: None of the ingredients is listed.

·Carcinogenicity categories

·EPA (Environmental Protection Agency): None of the ingredients is listed.

·TLV (Threshold Limit Value established by ACGIH):

64-17-5 Alcohol

A4

·NIOSH-Ca (National Institute for Occupational Safety and Health): None of the ingredients is listed.

·OSHA-Ca (Occupational Safety & Health Administration): None of the ingredients is listed.

16 Other information

The contents and format of this SDS are in accordance with 29 CFR 1910.1200(g).

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Abbreviations and acronyms:

DOT: Department of Transportation

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association

LD50: Lethal dose, 50 percent

LC50: Lethal concentration, 50 percent

EC50: Concentration of maximal effect, 50 percent

NOEC: No observed effect concentration

PEL: Permissible Exposure Limit

TLV: Threshold limit value

REL: Recommended Exposure Limit

End of safety data sheet