

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 15, 2020

Version No.: 1.0

Revision: December 15, 2020

### 1 Identification

**·Product identifier**

**·Trade name:** AUTO ODOR ELIMINATING 2.5 OZ BUBBLE GUM

**·SKU NO.:** 80181

**·UPC:** 0 89523 80181 3

**·Recommended use of the chemical and restrictions on use**

**·Application of the substance/ mixture:** Fresh air.

**·Details of the supplier of the safety data sheet**

**·Manufacturer/Supplier:**

WESTERN FRAGRANT CORP

7 CORPORATE PARK # 245 IRVINE 92606

Tel: 626 359 1000

Email: KEANEZ@WESTERNFRAGRANT.COM

**·Further information obtainable from:** WESTERN FRAGRANT CORP

**·Emergency telephone number**

US Poison Center

Tel: + 1 800 222 1222 (24 hours available)

### 2 Hazard(s) identification

**·Classification of the substance or mixture:**

Skin sensitization	Category 1A	May cause an allergic skin reaction
Serious eye damage/eye irritation	Category 2A	Causes serious eye irritation

**·Classification system:**

The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200) and extended by company and literature data.

**·Label elements**

**·Labeling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)**

**·Hazard pictograms:**



**·Signal word:** Warning

**·Hazard-determining components of the labeling:** Kathon 886

**·Hazard statements:**

May cause an allergic skin reaction

Causes serious eye irritation

**·Precautionary statement:**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid breathing vapors.

Wash hands and face thoroughly after handling.

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 15, 2020

Version No.: 1.0

Revision: December 15, 2020

Trade Name: AUTO ODOR ELIMINATING 2.5 OZ BUBBLE GUM

Wear protective gloves/ eye protection/face protection.

Contaminated work clothing must not be allowed out of the workplace.

If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Specific treatments see the first aid measures on this label.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local regulations.

**·Hazards not otherwise classified (HNOC):** No known otherwise classified hazards.

### 3 Composition/information on ingredients

**·Chemical characterization:** Mixture

**·Description:** Mixture of the substances listed below with nonhazardous additions.

<b>·Components:</b>		
CAS No.	Composition Name	w/w, %
7732-18-5	Water	93.44466-93.45622
9000-07-1	Carrageenan	2
9043-30-5	Isotridecanol, ethoxylated	1
9005-67-8	Polysorbate 60	1
5989-27-5	Limonene	0.091
4940-11-8	Ethyl maltol	0.068125-0.13625
121-32-4	Ethyl vanillin	0.03975-0.0795
78-70-6	Linalool	0.034
10377-60-3	Magnesium nitrate	0.026-0.034
119-36-8	Methyl salicylate	0.02275-0.0455
97-53-0	Eugenol	0.01475
52-51-7	Bronopol	0.013-0.015
55965-84-9	Kathon 886	0.00378-0.00474
7786-30-3	Magnesium chloride	0.001-0.0016

### 4 First aid measures

**·Description of first aid measures**

**After inhalation:** Supply with fresh air. Call for doctor/physician if you feel unwell.

**After skin contact:** Wash skin with soap and water. If skin irritation/allergy happens: Get medical advice/attention.

**After eye contact:** Rinse eyes with water. If eye irritation persists: Get medical advice/attention.

**After swallowing:** Rinse out mouth with water. If you feel unwell, get medical advice/attention.

**·Information for doctor**

**·Most important symptoms and effects, both acute and delayed:** May cause an allergic skin reaction; Causes serious eye irritation.

**·Indication of any immediate medical attention and special treatment needed:** Treat according to symptom, there is not known

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 15, 2020

Version No.: 1.0

Revision: December 15, 2020

Trade Name: AUTO ODOR ELIMINATING 2.5 OZ BUBBLE GUM

specific medicine.

### 5 Fire-fighting measures

·**Suitable extinguishing agents:** Use CO<sub>2</sub>, powder, water spray or alcohol resistant foam to extinguish. DO NOT use full jet water.

·**Special hazards arising from the substance or mixture:** May produce irritant/allergic vapor under fire.

·**Special protective equipment and precaution for firefighters**

**Protective equipment:** Wear fully protective suit and mouth respiratory protective device.

### 6 Accidental release measures

·**Personal precautions, protective equipment and emergency procedures:**

Cut off the leakage source, and collect spillage timely if safe do it; Ensure adequate ventilation; Wear protective gloves /eye protection/face protection; Avoid breathing vapors; Avoid contact with skin and eyes; Avoid release to the environment.

·**Environmental precautions:**

Do not allow the product to enter sewers/surface or ground water.

Inform respective authorities in case of seepage into water course or sewages system.

·**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust); Do not flush with water or aqueous cleansing agents; Dispose contaminated material as waste according to item 13.

### 7 Handling and storage

·**Handling**

·**Precautions for safe handling:**

Read label before use; Ensure adequate ventilation; Wear protective gloves /eye protection/face protection; Avoid contact with skin and eyes; Avoid release to the environment.

·**Information about fire and explosion protection:** Normal measures for preventive fire protection.

·**Conditions for safe storage, including any incompatibilities**

·**Requirements to be met by storerooms and receptacles:** Store in a cool and well-ventilation place.

·**Information about storage in one common storage facility:** Keep away out of reach of children.

·**Further information about storage conditions:** Store locked up.

### 8 Exposure controls/personal protection

·**Components with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

·**Additional information:** The lists that were valid during the creation were used as basis.

·**Based on the composition shown in section 3, the following measures are suggested for occupational safety measure:**

·**Appropriate engineering controls:**

Handle in accordance with good industrial hygiene and safety practice; Wash hands and face after handling; See section 7 for information about design of technical facilities.

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 15, 2020

Version No.: 1.0

Revision: December 15, 2020

Trade Name: AUTO ODOR ELIMINATING 2.5 OZ BUBBLE GUM

**Personal protective equipment:****Breathing equipment:** Suitable respiratory protective device recommended.**Protection of hands:****Protective gloves**

Gloves made from butyl rubber Neoprene™ rubber, nitrile rubber (thickness &gt; 0.11mm; breakthrough times up to 480 minutes).

**Eye protection:**

Protective goggles with side-shields.

### 9 Physical and chemical properties

**Information on basic physical and chemical properties****Appearance:**

<b>Form</b>	Gel
<b>Color</b>	Colorless
<b>Odor</b>	BUBBLE GUM
<b>Odor threshold</b>	Not determined.
<b>pH-value</b>	4-8 at 20 °C
<b>Change in condition</b>	
<b>Melting point/melting range</b>	Not determined.
<b>Boiling point and boiling range</b>	Not determined.
<b>Freezing point</b>	Not determined.
<b>Flash point</b>	>93 °C (closed cup)
<b>Flammability(solid, gas)</b>	Not flammable solid.
<b>Decomposition temperature</b>	Not determined.
<b>Self-ignition</b>	Not determined.
<b>Danger of explosion</b>	Product dose not present explosive hazard.
<b>Explosion limits</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Oxidizing properties</b>	Not oxidizing agent
<b>Vapor pressure</b>	Not determined.
<b>Density</b>	Not determined.
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in/Miscibility with</b>	
<b>Water</b>	Soluble in water
<b>Partition coefficient (n-octanol/water)</b>	Not determined.

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 15, 2020

Version No.: 1.0

Revision: December 15, 2020

Trade Name: AUTO ODOR ELIMINATING 2.5 OZ BUBBLE GUM

<b>·Viscosity</b>	
<b>Dynamic</b>	Not determined.
<b>Kinematic</b>	Not determined.
<b>·Other information</b>	Not determined.

### 10 Stability and reactivity

- Reactivity:** No decomposition if used according to specification.
- Chemical stability:** Stable under recommended storage conditions.
- Possibility of hazardous reactions:** No known hazardous reaction.
- Conditions to avoid:** High temperature.
- Incompatible materials:** Strong acid and oxidizing agents.
- Hazardous decomposition products:** No known hazardous decomposition products.

### 11 Toxicological information

- Acute toxicity:** Not acute toxicity mixture.

#### LD50/LC50 values that is relevant for classification:

9005-67-8 Polysorbate 60

Rat	LD50-oral	> 60mL/kg
-----	-----------	-----------

5989-27-5 Limonene

Rabbit	LD50-skin	> 5000mg/kg
--------	-----------	-------------

Rat	LD50-oral	4400mg/kg
-----	-----------	-----------

Mouse	LD50-oral	5600mg/kg
-------	-----------	-----------

4940-11-8 Ethyl maltol

Rabbit	LD50-skin	>5000mg/kg
--------	-----------	------------

Rat	LD50-oral	1150mg/kg
-----	-----------	-----------

Mouse	LD50-oral	780mg/kg
-------	-----------	----------

121-32-4 Ethyl vanillin

Rabbit	LD50-skin	> 7940mg/kg
--------	-----------	-------------

Rat	LD50-oral	1590mg/kg
-----	-----------	-----------

78-70-6 Linalool

Mouse	LD50-oral	3000mg/kg
-------	-----------	-----------

Rabbit	LD50-skin	5610mg/kg
--------	-----------	-----------

Rat	LD50-oral	2790mg/kg
	LD50-skin	5610mg/kg

Rat	LD50-oral	2790mg/kg
	LD50-skin	5610mg/kg

52-51-7 Bronopol

Mouse	LD50-oral	270mg/kg
	LD50-skin	4750mg/kg

Rat	LC50-inhalation	> 5000mg/m <sup>3</sup> /6H
-----	-----------------	-----------------------------

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 15, 2020

Version No.: 1.0

Revision: December 15, 2020

Trade Name: AUTO ODOR ELIMINATING 2.5 OZ BUBBLE GUM

	LD50-oral	180mg/kg
	LD50-skin	1600mg/kg
55965-84-9 Kathon 886		
Rat	LD50-oral	60mg/kg
Mouse	LD50-oral	53mg/kg
Remark: All the above data are from literature.		
<p>•<b>Primary irritant effect</b></p> <p>•<b>Skin corrosion/irritation:</b> Not irritant to skin.</p> <p>•<b>Serious eyes damage/ irritation:</b> Irritant to eyes.</p> <p>•<b>Sensitization:</b> Sensitive to skin.</p> <p><b>Additional toxicological information:</b></p> <p>The product shows the following dangers according to internally approved calculation methods for preparations: Irritant; Sensitive.</p> <p>•<b>Carcinogenic categories</b></p> <p>•<b>IARC (International Agency for Research on Cancer):</b></p>		
5989-27-5	Limonene	3
97-53-0	Eugenol	3
• <b>NTP (National Toxicology Program):</b> None of the ingredients is listed.		

## 12 Ecological information

### •Toxicity

•**Aquatic toxicity:** Harmful to aquatic life with long lasting effects.

<b>LC50/EC50/NOEC values that is relevant for classification:</b>	
5989-27-5 Limonene	
Short-term toxicity to fish	LC50 (4 days) 460 - 720 µg/L EC50 (4 days) 688 - 702 µg/L
Long-term toxicity to fish	NOEC (28 days) 80 µg/L
Short-term toxicity to aquatic invertebrates	EC50 (48 h) 307 - 510 µg/L EC50 (24 h) 840 µg/L
Long-term toxicity to aquatic invertebrates	NOEC (21 days) 50 - 80 µg/L EC50 (21 days) 188 µg/L
Toxicity to aquatic algae and cyanobacteria	EC50 (72 h) 214 - 320 µg/L NOEC (48 h) 90 µg/L
121-32-4 Ethyl vanillin	
Short-term toxicity to fish	LC50 (4 days) 87.6 mg/L
Short-term toxicity to aquatic invertebrates	EC50 (48 h) 26.2 mg/L
Long-term toxicity to aquatic invertebrates	NOEC (21 days) 5.9 - 10 mg/L EC50 (21 days) 16 - 63 mg/L
Toxicity to aquatic algae and cyanobacteria	EC50 (72 h) 100 mg/L NOEC (72 h) 21.2 - 30 mg/L
52-51-7 Bronopol	
Short-term toxicity to fish	LC50 (3.2 months) 35.7 mg/L

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 15, 2020

Version No.: 1.0

Revision: December 15, 2020

Trade Name: AUTO ODOR ELIMINATING 2.5 OZ BUBBLE GUM

	NOEC (4 days) 20 mg/L
Long-term toxicity to fish	NOEC (49 days) 21.5 mg/L LC50 (49 days) 39.1 mg/L
Short-term toxicity to aquatic invertebrates	EC50 (48 h) 1.4 mg/L
Long-term toxicity to aquatic invertebrates	NOEC (21 days) 270 µg/L EC50 (21 days) 270 - 880 µg/L
Toxicity to aquatic algae and cyanobacteria	EC50 (72 h) 250 - 370 µg/L NOEC (72 h) 80 - 100 µg/L
55965-84-9 Kathon 886	
Short-term toxicity to fish	LC50 (4 days) 190 - 300 µg/L NOEC (4 days) 130 - 220 µg/L
Long-term toxicity to fish	NOEC (28 days) 98 µg/L
Short-term toxicity to aquatic invertebrates	EC50 (48 h) 7 - 160 µg/L LC50 (4 days) 282 µg/L
Long-term toxicity to aquatic invertebrates	NOEC (21 days) 11.1 - 1 050 µg/L EC50 (21 days) 180 µg/L
Toxicity to microorganisms	EC50 (3 h) 4.5 mg/L NOEC (3 h) 910 µg/L
Sediment toxicity	NOEC (28 days) 270 - 3 700 µg/kg sediment dw LC50 (28 days) 7.03 mg/kg sediment dw

•**Persistence and degradability:** Readily biodegradable.

5989-27-5	Limonene	Readily biodegradable in water
121-32-4	Ethyl vanillin	Readily biodegradable
52-51-7	Bronopol	Readily biodegradable in water

•**Bio-accumulative potential:** Low bio-accumulation.

5989-27-5	Limonene	Log Pow =4.38 at 37 °C
121-32-4	Ethyl vanillin	Log Pow = 1.58 - 1.61 at 25 °C
52-51-7	Bronopol	Log Pow =-0.34 - 0.22 at 24 °C
55965-84-9	Kathon 886	Log Pow=-0.34-0.81at 10-30 °C

•**Mobility in soil:** Low mobility in soil.

•**Additional ecological information**

•**Other adverse effects:** No known other adverse effects.

### 13 Disposal consideration

•**Waste treatment methods**

•**Recommendation:** Must not be disposed together with household garbage; Disposed it must be in according to the local regulation.

•**Un-cleaned packaging**

•**Recommendation:** Dispose of contents/container in according to the local regulation.

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 15, 2020

Version No.: 1.0

Revision: December 15, 2020

Trade Name: AUTO ODOR ELIMINATING 2.5 OZ BUBBLE GUM

### 14 Transport information

·UN-Number DOT, IMDG, IATA	Not regulated as dangerous goods, not applicable
·UN proper shipping name DOT, IMDG, IATA	Void
·Transport hazard class (es) DOT, IMDG, IATA Class Label	Void Void
·Packing group DOT, IMDG, IATA	Void
·Environmental hazardous Marine pollution	No
·Special precautions for user ·Danger code (Kemler) ·EMS number	Void Void Void
·Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	-
·UN "Model Regulation"	Void

### 15 Regulatory information

·Safety, health and environmental regulations/legislation specific for the substance or mixture

·Sara

·Section 355 (extremely hazardous substances): None of the ingredients is listed.

·Section 313 (Specific toxic chemical listings): None of the ingredients is listed.

·TSCA (Toxic Substances Control Act):

7732-18-5	Water
9000-07-1	Carrageenan
9043-30-5	Isotridecanol, ethoxylated
9005-67-8	Polysorbate 60
5989-27-5	Limonene
4940-11-8	Ethyl maltol
121-32-4	Ethyl vanillin
78-70-6	Linalool
10377-60-3	Magnesium nitrate
119-36-8	Methyl salicylate
97-53-0	Eugenol
52-51-7	Bronopol
55965-84-9	Kathon 886



# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 15, 2020

Version No.: 1.0

Revision: December 15, 2020

Trade Name: AUTO ODOR ELIMINATING 2.5 OZ BUBBLE GUM

7786-30-3 Magnesium chloride

**·Proposition 65****·Chemicals known to cause cancer:** None of the ingredients is listed.**·Chemicals known to cause reproductive toxicity for females:** None of the ingredients is listed.**·Chemicals known to cause reproductive toxicity for males:** None of the ingredients is listed.**·Chemicals known to cause developmental toxicity:** None of the ingredients is listed.**·Washington, WAC 173-334-130 (CHCC):** None of the ingredients is listed.**·Chemicals of Concern, published by Maine DEP on July, 2015:** None of the ingredients is listed.**·Chemicals of High Concern to Children, published by Department of Health, Vermont, Rev Date Nov 24, 2014:** None of the ingredients is listed.**·High Priority Chemicals of Concern for children's Health, Oregon, update on May 18, 2016:** None of the ingredients is listed.**·Carcinogenicity categories****·EPA (Environmental Protection Agency):** None of the ingredients is listed.**·TLV (Threshold Limit Value established by ACGIH):** None of the ingredients is listed.**·NIOSH-Ca (National Institute for Occupational Safety and Health):** None of the ingredients is listed.**·OSHA-Ca (Occupational Safety & Health Administration):** None of the ingredients is listed.**16 Other information****The contents and format of this SDS are in accordance with 29 CFR 1910.1200(g).****DISCLAIMER OF LIABILITY:**

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

**·Abbreviations and acronyms:****DOT:** Department of Transportation**IMDG:** International Maritime Code for Dangerous Goods.**IATA:** International Air Transport Association**LD50:** Lethal dose, 50 percent**LC50:** Lethal concentration, 50 percent**EC50:** Concentration of maximal effect, 50 percent**NOEC:** No observed effect concentration**PEL:** Permissible Exposure Limit**TLV:** Threshold limit value**REL:** Recommended Exposure Limit

End of safety data sheet