

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 9, 2020

Version No.: 1.0

Revision: December 9, 2020

### 1 Identification

**·Product identifier**

·Trade name: AIR FRESHENER 12.5OZ ROSE

·SKU NO.: 50017

·UPC: 8 09022 50017 4

**·Recommended use of the chemical and restrictions on use**

·Application of the substance/ mixture: Fresh air.

**·Details of the supplier of the safety data sheet**

**·Manufacturer/Supplier:**

WESTERN FRAGRANT CORP

7 CORPORATE PARK # 245 IRVINE 92606

Tel: 626 359 1000

Email: KEANEZ@WESTERNFRAGRANT.COM

·Further information obtainable from: WESTERN FRAGRANT CORP

**·Emergency telephone number**

US Poison Center

Tel: + 1 800 222 1222 (24 hours available)

### 2 Hazard(s) identification

**·Classification of the substance or mixture:**

|                      |               |  |
|----------------------|---------------|--|
| Flammable aerosols   | Category 2    | Flammable aerosol                                  |
| Gases under pressure | Liquefied gas | Contains gas under pressure; may explode if heated |
| Sensitization-skin   | Category 1    | May cause an allergic skin reaction                |

**·Classification system:**

The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200) and extended by company and literature data.

**·Label elements**

·Labeling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)

**·Hazard pictograms:**



·Signal word: Warning

·Hazard-determining components of labelling: Geraniol.

**·Hazard statements:**

Flammable aerosol.

Contains gas under pressure; may explode if heated.

May cause an allergic skin reaction.

**·Precautionary statement:**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 9, 2020

Version No.: 1.0

Revision: December 9, 2020

Trade Name: AIR FRESHENER 12.5OZ ROSE

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Avoid breathing spray/aerosol.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Specific treatments see the first aid measures on this label.

Wash contaminated clothing before reuse.

Protect from sunlight. Store in a well-ventilated place.

Dispose of contents/container in accordance with local regulations.

**·Hazards not otherwise classified (HNOC):** No known otherwise classified hazards.

### 3 Composition/information on ingredients

**·Chemical characterization:** Mixture

**·Description:** Mixture of the substances listed below with nonhazardous additions.

**·Components:**

| CAS No.   | Composition Name    | w/w, %        |
|-----------|---------------------|---------------|
| 7732-18-5 | Water               | 72-78         |
| 74-98-6   | Propane             | <23           |
| 106-97-8  | Butane              |               |
| 64-17-5   | Alcohol             | 1.5           |
| 106-24-1  | Geraniol            | 0.04-0.12     |
| 1338-43-8 | Sorbitan monooleate | 0.1           |
| 532-32-1  | Sodium benzoate     | 0.1           |
| 78-70-6   | Linalool            | 0.012-0.036   |
| 104-54-1  | Cinnamyl alcohol    | 0.0065-0.0195 |
| 97-53-0   | Eugenol             | 0.0028-0.0084 |
| 104-55-2  | Cinnamic aldehyde   | 0.0008-0.0024 |

### 4 First aid measures

**·Description of first aid measures**

**After inhalation:** Remove to fresh air. If breathing is difficult, give oxygen. If feel unwell, get medical aid immediately.

**After skin contact:** Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

**After eye contact:** Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.

**After swallowing:** Rinse mouth. If feel unwell, get medical aid immediately.

**·Information for doctor**

**·Most important symptoms and effects, both acute and delayed:** May cause an allergic skin reaction.

**·Indication of any immediate medical attention and special treatment needed:** Treat according to symptom, there is not known

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 9, 2020

Version No.: 1.0

Revision: December 9, 2020

Trade Name: AIR FRESHENER 12.5OZ ROSE

specific medicine.

### 5 Fire-fighting measures

·**Suitable extinguishing agents:** Use CO<sub>2</sub>, chemical powder, water spray or alcohol resistant foam to extinguish. Do not use water with full jet.

·**Special hazards arising from the substance or mixture:** May explode if heated.

·**Special protective equipment and precaution for firefighters**

**Protective equipment:** Wear fully protective suit and mouth respiratory protective device.

### 6 Accidental release measures

·**Personal precautions, protective equipment and emergency procedures:**

Cut off leakage source and collect spillage timely if safe do it; Ensure adequate ventilation; Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area); Wear personal protective equipment; Avoid breathing aerosols.

·**Environmental precautions:**

Do not allow the product to enter sewers/surface or ground water.

Inform respective authorities in case of seepage into water course or sewages system.

·**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust); Ensure good ventilation; Dispose contaminated material as waster according to item 13.

### 7 Handling and storage

·**Handling**

·**Precautions for safe handling:**

Read label before use; Smoking, eating and drinking should be prohibited; Use only in well ventilated areas; Do not spray on an open flame or other ignition source; Do not pierce or burn, even after use; Avoid all sources of ignition; Avoid breathing aerosols; Use respiratory protective device against the effects of aerosols.

·**Information about fire and explosion protection:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking; Do not pierce or burn, even after use.

·**Conditions for safe storage, including any incompatibilities**

·**Requirements to be met by storerooms and receptacles:** Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

·**Information about storage in one common storage facility:** Keep away from flammable substance.

·**Further information about storage conditions:** Store in a well-ventilated place.

### 8 Exposure controls/personal protection

·**Components with limit values that require monitoring at the workplace:**

| CAS No. | Composition Name | Limit value |
|---------|------------------|-------------|
|---------|------------------|-------------|

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 9, 2020

Version No.: 1.0

Revision: December 9, 2020

Trade Name: AIR FRESHENER 12.5OZ ROSE

|          |         |  |
|----------|---------|--|
| 74-98-6  | Propane | <b>OSHA PEL:</b> 1000 ppm (1800 mg/m <sup>3</sup> ) 8-hour TWA;<br><b>NIOSH REL:</b> 1000 ppm (1800 mg/m <sup>3</sup> ) Up to 10-hour TWA;<br><b>Cal/OSHA PEL:</b> 1000 ppm (1800 mg/m <sup>3</sup> ) 8-hour TWA                                     |
| 106-97-8 | Butane  | <b>NIOSH REL:</b> 800 ppm (1900 mg/m <sup>3</sup> ) Up to 10-hour TWA;<br><b>ACGIH TLV:</b> 1000 ppm 8-hour TWA;<br><b>Cal/OSHA PEL:</b> 800 ppm (1900 mg/m <sup>3</sup> ) 8-hour TWA  |
| 64-17-5  | Alcohol | <b>OSHA PEL:</b> 1000 ppm (1900 mg/m <sup>3</sup> ) 8-hour TWA;<br><b>NIOSH REL:</b> 1000 ppm (1900 mg/m <sup>3</sup> ) Up to 10-hour TWA;<br><b>ACGIH TLV:</b> 1000 ppm STEL;<br><b>Cal/OSHA PEL:</b> 1000 ppm (1900 mg/m <sup>3</sup> ) 8-hour TWA |

•**Additional information:** The lists that were valid during the creation were used as basis.

•**Based on the composition shown in section 3, the following measures are suggested for occupational safety measure:**

•**Appropriate engineering controls:**

Handle in accordance with good industrial hygiene and safety practice; Wash hands and face after handling; See section 7 for information about design of technical facilities.

•**Personal protective equipment:**

•**Breathing equipment:** Suitable respiratory protective device recommended.

•**Protection of hands:**



**Protective gloves**

Gloves made from butyl rubber Neoprene™ rubber, nitrile rubber (thickness > 0.11mm; breakthrough times up to 480 minutes).

•**Eye protection:**



**Protective goggles with side-shields.**

## 9 Physical and chemical properties

•**Information on basic physical and chemical properties**

•**Appearance:**

|  |                 |
|--|-----------------|
| <b>Form</b>                            | Aerosol         |
| <b>Color</b>                           | Colorless       |
| <b>Odor</b>                            | Rose            |
| <b>Odor threshold</b>                  | Not determined. |
| <b>pH-value</b>                        | Not determined. |
| • <b>Change in condition</b>           |                 |
| <b>Melting point/melting range</b>     | Not determined. |
| <b>Boiling point and boiling range</b> | Not determined. |
| <b>Freezing point</b>                  | Not determined. |
| <b>Flash point</b>                     | Not determined. |
| <b>Flammability(solid, gas)</b>        | Flammable gas.  |

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 9, 2020

Version No.: 1.0

Revision: December 9, 2020

Trade Name: AIR FRESHENER 12.5OZ ROSE

|  |                               |
|--|-------------------------------|
| ·Decomposition temperature               | Not determined.               |
| ·Self-ignition                           | Product is not self-ignition. |
| ·Danger of explosion                     | May burst if heated.          |
| ·Explosion limits                        |                               |
| Lower:                                   | Not determined.               |
| Upper:                                   | Not determined.               |
| ·Oxidizing properties                    | Not oxidizing agent           |
| ·Vapor pressure                          | Not determined.               |
| ·Density                                 | Not determined.               |
| ·Relative density                        | Not determined.               |
| ·Vapor density                           | Not determined.               |
| ·Evaporation rate                        | Not determined.               |
| ·Solubility in/Miscibility with          |                               |
| Water                                    | Soluble in water.             |
| ·Partition coefficient (n-octanol/water) | Not determined.               |
| ·Viscosity                               |                               |
| Dynamic                                  | Not determined.               |
| Kinematic                                | Not determined.               |
| ·Other information                       | Not determined.               |

### 10 Stability and reactivity

- Reactivity:** No decomposition if used according to specification.
- Chemical stability:** Stable under recommended storage conditions.
- Possibility of hazardous reactions:** No known hazardous reaction.
- Conditions to avoid:** High temperature above 50 °C and ignition source.
- Incompatible materials:** Strong acid, strong oxidizing agent and flammable substance.
- Hazardous decomposition products:** No known hazardous decomposition products.

### 11 Toxicological information

- Acute toxicity:** Not acute toxicity mixture.

#### LD50/LC50 values that is relevant for classification:

106-97-8 Butane

|     |                 |                             |
|-----|-----------------|-----------------------------|
| Rat | LC50-inhalation | 658000mg/m <sup>3</sup> /4H |
|-----|-----------------|-----------------------------|

|       |                 |                             |
|-------|-----------------|-----------------------------|
| Mouse | LC50-inhalation | 680000mg/m <sup>3</sup> /2H |
|-------|-----------------|-----------------------------|

64-17-5 Alcohol

|     |           |            |
|-----|-----------|------------|
| Rat | LD50-oral | 7060 mg/kg |
|-----|-----------|------------|

|  |                 |              |
|--|-----------------|--------------|
|  | LC50-inhalation | 20000ppm/10H |
|--|-----------------|--------------|

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 9, 2020

Version No.: 1.0

Revision: December 9, 2020

Trade Name: AIR FRESHENER 12.5OZ ROSE

|  |                 |             |
|--|-----------------|-------------|
| Rabbit   | LD50-oral       | 6300 mg/kg  |
| Mouse  | LD50-oral       | 3450 mg/kg  |
|  | LC50-inhalation | 39000ppm/4H |
| 532-32-1 Sodium benzoate   |                 |             |
| Rat  | LD50-oral       | 4070mg/kg   |
| Mouse  | LD50-oral       | 1600mg/kg   |
| Rabbit   | LD50-skin       | 2000mg/kg   |
| Remark: All the above data are from literature.  |                 |             |
| <ul style="list-style-type: none"> <li>·<b>Primary irritant effect</b></li> <li>·<b>Skin corrosion/irritation:</b> Not irritant to skin.</li> <li>·<b>Serious eyes damage/ irritation:</b> Not irritant to eyes.</li> <li>·<b>Sensitization:</b> Sensitive to skin.</li> </ul> |                 |             |
| <p><b>Additional toxicological information:</b></p> <p>The product shows the following dangers according to internally approved calculation methods for preparations: Allergic.</p>  |                 |             |
| <ul style="list-style-type: none"> <li>·<b>Carcinogenic categories</b></li> <li>·<b>IARC (International Agency for Research on Cancer):</b></li> </ul>   |                 |             |
| 64-17-5  | Alcohol         | 1           |
| <ul style="list-style-type: none"> <li>·<b>NTP (National Toxicology Program):</b> None of the ingredients is listed.</li> </ul>  |                 |             |

## 12 Ecological information

### ·Toxicity

·**Aquatic toxicity:** Not hazardous to aquatic environment.

#### LC50/EC50/NOEC values that is relevant for classification:

74-98-6 Propane

|  |                                   |
|--|-----------------------------------|
| Short-term toxicity to fish                  | LC50 (4 days) 24.11 - 147.54 mg/L |
| Short-term toxicity to aquatic invertebrates | LC50 (48 h) 14.22 - 69.43 mg/L    |
| Toxicity to aquatic algae and cyanobacteria  | EC50 (4 days) 7.71 - 19.37 mg/L   |

106-97-8 Butane

|  |                                   |
|--|-----------------------------------|
| Short-term toxicity to fish                  | LC50 (4 days) 24.11 - 147.54 mg/L |
| Short-term toxicity to aquatic invertebrates | EC50 (48 h) 14.22 - 69.43 mg/L    |
| Toxicity to aquatic algae and cyanobacteria  | EC50 (4 days) 7.71 - 19.37 mg/L   |

64-17-5 Alcohol

|  |                                 |
|--|---------------------------------|
| Short-term toxicity to fish                  | LC50 (4 days) 14.2 - 15.4 g/L   |
|  | EC50 (4 days) 12.7 - 12.9 g/L   |
| Long-term toxicity to fish                   | NOEC (5 days) 250 - 1 000 mg/L  |
| Short-term toxicity to aquatic invertebrates | EC50 (48 h) 10 g/L              |
|  | LC50 (48 h) 5.012 g/L           |
| Long-term toxicity to aquatic invertebrates  | NOEC (10 days) 2 - 9.6 mg/L     |
|  | LC50 (10 days) 1.806 g/L        |
|  | LC50 (48 h) 9.248 g/L           |
| Toxicity to aquatic algae and cyanobacteria  | EC50 (4 days) 675 - 22 000 mg/L |

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 9, 2020

Version No.: 1.0

Revision: December 9, 2020

Trade Name: AIR FRESHENER 12.5OZ ROSE

|  |  |
|--|--|
| Toxicity to aquatic plants other than algae  | EC50 (7 days) 4.432 - 5.967 g/L                    |
| 532-32-1 Sodium benzoate                     |  |
| Short-term toxicity to fish                  | LC50 (4 days) 484 mg/L<br>NOEC (4 days) 392.5 mg/L |
| Long-term toxicity to fish                   | NOEC (6 days) 10 mg/L<br>LC50 (24 h) 1.4 - 1.5 g/L |
| Short-term toxicity to aquatic invertebrates | LC50 (4 days) 100 mg/L                             |
| Toxicity to aquatic algae and cyanobacteria  | EC50 (72 h) 30.5 mg/L<br>NOEC (72 h) 90 µg/L       |
| Toxicity to microorganisms                   | NOEC (7 days) 100 mg/L                             |

•**Persistence and degradability:** Readily biodegradable.

|          |                 |   |
|----------|-----------------|---|
| 74-98-6  | Propane         | Dissipation half life=5.222 years(in air); Readily biodegradable(in water)                                      |
| 106-97-8 | Butane          | Dissipation half life=5.222 years(in air); Readily biodegradable(in water)                                      |
| 64-17-5  | Alcohol         | BOD <sub>5</sub> =1.067-1.236 g O <sub>2</sub> /g; COD=1.99 g O <sub>2</sub> /g; Readily biodegradable in water |
| 532-32-1 | Sodium benzoate | Readily biodegradable in water  |

•**Bio-accumulative potential:** Low bio-accumulation.

|          |                 |                                      |
|----------|-----------------|--------------------------------------|
| 74-98-6  | Propane         | Log Pow = 2.36 at 20 °C              |
| 106-97-8 | Butane          | Log Pow = 2.89 at 20 °C              |
| 64-17-5  | Alcohol         | Log Pow = -0.77 - -0.3 at 24 - 25 °C |
| 532-32-1 | Sodium benzoate | Log Pow = 1.88                       |

•**Mobility in soil:** High mobility in soil.

•**Additional ecological information**

•**Other adverse effects:** No known other adverse effects.

### 13 Disposal consideration

•**Waste treatment methods**

•**Recommendation:** Must not be disposed together with household garbage.

•**Un-cleaned packaging**

•**Recommendation:** Dispose of contents/container in according to the local regulation.

### 14 Transport information

|  |                                 |
|--|---------------------------------|
| •UN-Number<br>DOT, IATA, IMO                 | UN1950                          |
| •UN proper shipping name<br>DOT, IATA<br>IMO | Aerosols, flammable<br>Aerosols |
| •Transport hazard class (es)                 |                                 |

# Safety Data Sheet


## OSHA 29 CFR 1910.1200

Printed Date: December 9, 2020

Version No.: 1.0

Revision: December 9, 2020

Trade Name: AIR FRESHENER 12.5OZ ROSE

|   |   |                  |
|---|---|------------------|
| <b>DOT, IATA</b>  |  |                  |
| Class   |   | 2 Flammable, gas |
| Label   |   | 2.1              |
| <b>IMO</b>  |   |                  |
| Class   | 2 Aerosols  |                  |
| Label   | 2.1   |                  |
| <b>·Packing group</b>   |   |                  |
| <b>DOT, IMDG, IATA</b>  | Void  |                  |
| <b>·Environmental hazardous Marine pollution</b>                                | No  |                  |
| <b>·Special precautions for user</b>  | Warning: Flammable, gas   |                  |
| <b>·Danger code (Kemler)</b>  | 23  |                  |
| <b>·EMS number</b>  | F-D, S-U  |                  |
| <b>·Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable  |                  |
| <b>·UN "Model Regulation"</b>   | UN1950, Aerosols, flammable, 2.1  |                  |

### 15 Regulatory information

·Safety, health and environmental regulations/legislation specific for the substance or mixture

·Sara

·Section 355 (extremely hazardous substances): None of the ingredients is listed.

·Section 313 (Specific toxic chemical listings): None of the ingredients is listed.

·TSCA (Toxic Substances Control Act):

|           |                     |
|-----------|---------------------|
| 7732-18-5 | Water               |
| 74-98-6   | Propane             |
| 106-97-8  | Butane              |
| 64-17-5   | Alcohol             |
| 106-24-1  | Geraniol            |
| 1338-43-8 | Sorbitan monooleate |
| 532-32-1  | Sodium benzoate     |
| 78-70-6   | Linalool            |
| 104-54-1  | Cinnamyl alcohol    |
| 97-53-0   | Eugenol             |
| 104-55-2  | Cinnamic aldehyde   |

·Proposition 65

·Chemicals known to cause cancer: None of the ingredients is listed.

·Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.

·Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.

·Chemicals known to cause developmental toxicity: None of the ingredients is listed.



# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printed Date: December 9, 2020

Version No.: 1.0

Revision: December 9, 2020

Trade Name: AIR FRESHENER 12.5OZ ROSE

·Washington, WAC 173-334-130 (CHCC): None of the ingredients is listed.

·Chemicals of Concern, published by Maine DEP on July, 2015: None of the ingredients is listed.

·Chemicals of High Concern to Children, published by Department of Health, Vermont, Rev Date Nov 24, 2014: None of the ingredients is listed.

·High Priority Chemicals of Concern for children's Health, Oregon, update on May 18, 2016: None of the ingredients is listed.

**·Carcinogenicity categories**

·EPA (Environmental Protection Agency): None of the ingredients is listed.

·TLV (Threshold Limit Value established by ACGIH):

|         |         |    |
|---------|---------|----|
| 64-17-5 | Alcohol | A4 |
|---------|---------|----|

·NIOSH-Ca (National Institute for Occupational Safety and Health): None of the ingredients is listed.

·OSHA-Ca (Occupational Safety &amp; Health Administration): None of the ingredients is listed.

### 16 Other information

The contents and format of this SDS are in accordance with 29 CFR 1910.1200(g).

**DISCLAIMER OF LIABILITY:**

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

\*\*\*\*\*

**·Abbreviations and acronyms:**

DOT: Department of Transportation

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association

LD50: Lethal dose, 50 percent

LC50: Lethal concentration, 50 percent

EC50: Concentration of maximal effect, 50 percent

NOEC: No observed effect concentration

BOD<sub>5</sub>: Five days biochemical oxygen demand

COD: Chemical oxygen demand

PEL: Permissible Exposure Limit

TLV: Threshold limit value

REL: Recommended Exposure Limit

\*\*\*\*\*

End of safety data sheet