

Safety Data Sheet

OSHA 29 CFR 1910.1200

Printed Date: December 7, 2020

Version No.: 1.0

Revision: December 7, 2020

1 Identification

·Product identifier

·Trade name: FURNITURE POLISH

·SKU NO.: 80146

·UPC: 0 89523 80146 2

·Recommended use of the chemical and restrictions on use

·Application of the substance/ mixture: Polishing.

·Details of the supplier of the safety data sheet

·Manufacturer/Supplier:

WESTERN FRAGRANT CORP

7 CORPORATE PARK # 245 IRVINE 92606

Tel: 626 359 1000

Email: KEANEZ@WESTERNFRAGRANT.COM

·Further information obtainable from: WESTERN FRAGRANT CORP

·Emergency telephone number

US Poison Center

Tel: + 1 800 222 1222 (24 hours available)

2 Hazard(s) identification

·Classification of the substance or mixture:

| | | |
|-----------------------------------|---------------|--|
| Flammable aerosols | Category 2 | Flammable aerosol |
| Gases under pressure | Liquefied gas | Contains gas under pressure; may explode if heated |
| Serious eye damage/eye irritation | Category 2B | Causes eye irritation |

·Classification system:

The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200) and extended by company and literature data.

·Label elements

·Labeling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)

·Hazard pictograms:



·Signal word: Warning

·Hazard-determining components of labelling: Not applicable

·Hazard statements:

Flammable aerosol.

Contains gas under pressure; may explode if heated.

Causes eye irritation.

·Precautionary statement:

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Safety Data Sheet

OSHA 29 CFR 1910.1200

Printed Date: December 7, 2020

Version No.: 1.0

Revision: December 7, 2020

Trade Name: FURNITURE POLISH

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wash hands and face thoroughly after handling.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Protect from sunlight. Store in a well-ventilated place.

•**Hazards not otherwise classified (HNOC):** No known otherwise classified hazards.

3 Composition/information on ingredients

•**Chemical characterization:** Mixture

•**Description:** Mixture of the substances listed below with nonhazardous additions.

•**Components:**

| CAS No. | Composition Name | w/w, % |
|------------|----------------------------------|------------|
| 7732-18-5 | Water | 80.1 |
| 8042-47-5 | White mineral oil | 10 |
| 106-97-8 | Butane | 6.5 |
| 63148-62-9 | Silicone oil | 1.5 |
| 1338-43-8 | Sorbitan monooleate | 1.2 |
| 9005-65-6 | Polysorbate 80 | 0.3 |
| 532-32-1 | Sodium benzoate | 0.2 |
| 54464-57-2 | Isocyclemone E | 0.012-0.04 |
| 127-51-5 | Alpha-isomethylionone | 0.012-0.04 |
| 80-54-6 | Lilial | 0.002-0.02 |
| 1222-05-5 | Galaxolide | 0.002-0.02 |
| 127-42-4 | alpha-Cetone | 0.002-0.02 |
| 90-17-5 | Rosacetol | 0.002-0.02 |
| 60-12-8 | Phenylethyl alcohol | 0.002-0.02 |
| 140-11-4 | Benzyl acetate | 0.002-0.02 |
| 78-70-6 | Linalool | 0.002-0.02 |
| 93-92-5 | Styralyl acetate | 0.002-0.02 |
| 142-92-7 | Hexyl acetate | 0.002-0.02 |
| 104-67-6 | Undecan-4-olide | 0.002-0.02 |
| 24851-98-7 | Methyl dihydrojasmonate | 0.002-0.02 |
| 151-05-3 | Dimethyl benzyl carbinyl acetate | 0.002-0.02 |
| 18479-58-8 | Dihydromyrcenol | 0.002-0.02 |
| 110-98-5 | 1,1'-oxydipropan-2-ol | 0.002-0.02 |
| 120-51-4 | Benzyl benzoate | 0.002-0.02 |
| 1506-02-1 | Acetyl hexamethyl tetralin | 0.002-0.02 |

Safety Data Sheet

OSHA 29 CFR 1910.1200

Printed Date: December 7, 2020

Version No.: 1.0

Revision: December 7, 2020

Trade Name: FURNITURE POLISH

4 First aid measures

·Description of first aid measures

After inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If feel unwell, get medical aid immediately.

After skin contact: Rinse skin with water. If irritation persists, call a physician.

After eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After swallowing: Rinse mouth. If feel unwell, get medical aid immediately.

·Information for doctor

·Most important symptoms and effects, both acute and delayed: Causes eye irritation.

·Indication of any immediate medical attention and special treatment needed: Treat according to symptom, there is not known specific medicine.

5 Fire-fighting measures

·Suitable extinguishing agents: Use CO₂, chemical powder, water spray or alcohol resistant foam to extinguish. Do not use water with full jet.

·Special hazards arising from the substance or mixture: May explode if heated.

·Special protective equipment and precaution for firefighters

Protective equipment: Wear fully protective suit and mouth respiratory protective device.

6 Accidental release measures

·Personal precautions, protective equipment and emergency procedures:

Cut off leakage source and collect spillage timely if safe do it; Ensure adequate ventilation; Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area); Wear personal protective equipment; Avoid breathing aerosols.

·Environmental precautions:

Do not allow the product to enter sewers/surface or ground water.

Inform respective authorities in case of seepage into water course or sewages system.

·Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust); Ensure good ventilation; Dispose contaminated material as waster according to item 13.

7 Handling and storage

·Handling

·Precautions for safe handling:

Smoking, eating and drinking should be prohibited; Use only in well ventilated areas; Do not spray on an open flame or other ignition source; Do not pierce or burn, even after use; Avoid all sources of ignition; Avoid breathing aerosols; Use respiratory protective device against the effects of aerosols.

·Information about fire and explosion protection: Keep away from heat, hot surfaces, sparks, open flames and other ignition

Safety Data Sheet

OSHA 29 CFR 1910.1200

Printed Date: December 7, 2020

Version No.: 1.0

Revision: December 7, 2020

Trade Name: FURNITURE POLISH

sources. No smoking; Do not pierce or burn, even after use.

- Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and receptacles: Protect from sunlight. Do not expose to temperatures exceeding 50 ° C/122 ° F.

- Information about storage in one common storage facility: Keep away from flammable substance.

- Further information about storage conditions: Store in a well-ventilated place.

8 Exposure controls/personal protection

- Components with limit values that require monitoring at the workplace:

| CAS No. | Composition Name | Limit value |
|----------|------------------|---|
| 106-97-8 | Butane | NIOSH REL: 800 ppm (1900 mg/m ³) Up to 10-hour TWA; ACGIH TLV: 1000 ppm 8-hour TWA; Cal/OSHA PEL: 800 ppm (1900 mg/m ³) 8-hour TWA |

- Additional information: The lists that were valid during the creation were used as basis.

- Based on the composition shown in section 3, the following measures are suggested for occupational safety measure:

- Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety practice; Wash hands and face after handling; See section 7 for information about design of technical facilities.

- Personal protective equipment:

- Breathing equipment: Suitable respiratory protective device recommended.

- Protection of hands:



Protective gloves

Gloves made from butyl rubber Neoprene™ rubber, nitrile rubber (thickness > 0.11mm; breakthrough times up to 480 minutes).

- Eye protection:



Protective goggles with side-shields.

9 Physical and chemical properties

- Information on basic physical and chemical properties

- Appearance:

| | |
|-----------------------------|-----------------|
| Form | Aerosol |
| Color | Colorless |
| Odor | ORANGE |
| Odor threshold | Not determined. |
| pH-value | Not determined. |
| Change in condition | |
| Melting point/melting range | Not determined. |

Safety Data Sheet

OSHA 29 CFR 1910.1200

Printed Date: December 7, 2020

Version No.: 1.0

Revision: December 7, 2020

Trade Name: FURNITURE POLISH

| | |
|--|-------------------------------|
| Boiling point and boiling range | Not determined. |
| Freezing point | Not determined. |
| Flash point | Not determined. |
| Flammability(solid, gas) | Flammable gas. |
| Decomposition temperature | Not determined. |
| Self-ignition | Product is not self-ignition. |
| Danger of explosion | May burst if heated. |
| Explosion limits | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Oxidizing properties | Not oxidizing agent |
| Vapor pressure | Not determined. |
| Density | Not determined. |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in/Miscibility with | |
| Water | Soluble in water. |
| Partition coefficient (n-octanol/water) | Not determined. |
| Viscosity | |
| Dynamic | Not determined. |
| Kinematic | Not determined. |
| Other information | Not determined. |

10 Stability and reactivity

- Reactivity:** No decomposition if used according to specification.
- Chemical stability:** Stable under recommended storage conditions.
- Possibility of hazardous reactions:** No known hazardous reaction.
- Conditions to avoid:** High temperature above 50 °C and ignition source.
- Incompatible materials:** Strong acid, strong oxidizing agent and flammable substance.
- Hazardous decomposition products:** No known hazardous decomposition products.

11 Toxicological information

- Acute toxicity:** Not acute toxicity mixture.

LD50/LC50 values that is relevant for classification:

106-97-8 Butane

| | | |
|-----|-----------------|-----------------------------|
| Rat | LC50-inhalation | 658000mg/m ³ /4H |
|-----|-----------------|-----------------------------|

Safety Data Sheet

OSHA 29 CFR 1910.1200

Printed Date: December 7, 2020

Version No.: 1.0

Revision: December 7, 2020

Trade Name: FURNITURE POLISH

| | | |
|---|-----------------|-----------------------------|
| Mouse | LC50-inhalation | 680000mg/m ³ /2H |
| 63148-62-9 Silicone oil | | |
| Guinea pig | LD50-oral | >10000mg/kg |
| Rabbit | LD50-skin | >2000mg/kg |
| Rat | LD50-oral | >24000mg/kg |
| 9005-65-6 Polysorbate 80 | | |
| Rat | LD50-oral | 34.5mL/kg |
| Mouse | LD50-oral | 25000mg/kg |
| 532-32-1 Sodium benzoate | | |
| Rat | LD50-oral | 4070mg/kg |
| Mouse | LD50-oral | 1600mg/kg |
| Rabbit | LD50-skin | 2000mg/kg |
| Remark: All the above data are from literature. | | |

•Primary irritant effect**•Skin corrosion/irritation:** Not irritant to skin.**•Serious eyes damage/ irritation:** Irritant to eyes.**•Sensitization:** Not sensitive to skin or respiratory.**Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

•Carcinogenic categories**•IARC (International Agency for Research on Cancer):** None of the ingredients is listed.**•NTP (National Toxicology Program):** None of the ingredients is listed.

12 Ecological information

•Toxicity**•Aquatic toxicity:** Not hazardous to aquatic environment.**LC50/EC50/NOEC values that is relevant for classification:**

| | |
|--|--|
| 106-97-8 Butane | |
| Short-term toxicity to fish | LC50 (4 days) 24.11 - 147.54 mg/L |
| Short-term toxicity to aquatic invertebrates | C50 (48 h) 14.22 - 69.43 mg/L |
| Toxicity to aquatic algae and cyanobacteria | EC50 (4 days) 7.71 - 19.37 mg/L |
| 532-32-1 Sodium benzoate | |
| Short-term toxicity to fish | LC50 (4 days) 484 mg/L NOEC (4 days) 392.5 mg/L |
| Long-term toxicity to fish | NOEC (6 days) 10 mg/L LC50 (24 h) 1.4 - 1.5 g/L |
| Short-term toxicity to aquatic invertebrates | LC50 (4 days) 100 mg/L |
| Toxicity to aquatic algae and cyanobacteria | EC50 (72 h) 30.5 mg/L NOEC (72 h) 90 µg/L |
| Toxicity to microorganisms | NOEC (7 days) 100 mg/L |

•Persistence and degradability: Readily biodegradable.

Safety Data Sheet

OSHA 29 CFR 1910.1200

Printed Date: December 7, 2020

Version No.: 1.0

Revision: December 7, 2020

Trade Name: FURNITURE POLISH

| | | |
|----------|-----------------|--|
| 106-97-8 | Butane | Dissipation half life=5.222 years(in air); Readily biodegradable(in water) |
| 532-32-1 | Sodium benzoate | Readily biodegradable in water |

·**Bio-accumulative potential:** Low bio-accumulation.

| | | |
|----------|-----------------|-------------------------|
| 106-97-8 | Butane | Log Pow = 2.89 at 20 °C |
| 532-32-1 | Sodium benzoate | Log Pow =1.88 |

·**Mobility in soil:** High mobility in soil.

·**Additional ecological information**

·**Other adverse effects:** No known other adverse effects.

13 Disposal consideration


·**Waste treatment methods**

·**Recommendation:** Must not be disposed together with household garbage.

·**Un-cleaned packaging**

·**Recommendation:** Dispose of contents/container in according to the local regulation.

14 Transport information

| | | |
|--|---|------------------|
| ·UN-Number DOT, IATA, IMO | UNI950 | |
| ·UN proper shipping name DOT, IATA IMO | Aerosols, flammable Aerosols | |
| ·Transport hazard class (es) DOT, IATA |  | |
| Class | | 2 Flammable, gas |
| Label | | 2.1 |
| IMO | | |
| Class | 2 Aerosols | |
| Label | 2.1 | |
| ·Packing group DOT, IMDG, IATA | Void | |
| ·Environmental hazardous Marine pollution | No | |
| ·Special precautions for user | Warning: Flammable, gas | |
| ·Danger code (Kemler) | 23 | |
| ·EMS number | F-D, S-U | |
| ·Transport in bulk according to Annex | | |

Safety Data Sheet

OSHA 29 CFR 1910.1200

Printed Date: December 7, 2020

Version No.: 1.0

Revision: December 7, 2020

Trade Name: FURNITURE POLISH

| | |
|---|----------------------------------|
| II of MARPOL73/78 and the IBC Code | Not applicable |
| ·UN "Model Regulation" | UN1950, Aerosols, flammable, 2.1 |

15 Regulatory information

·Safety, health and environmental regulations/legislation specific for the substance or mixture

·Sara

·Section 355 (extremely hazardous substances): None of the ingredients is listed.

·Section 313 (Specific toxic chemical listings): None of the ingredients is listed.

·TSCA (Toxic Substances Control Act):

| | |
|------------|----------------------------------|
| 7732-18-5 | Water |
| 8042-47-5 | White mineral oil |
| 106-97-8 | Butane |
| 63148-62-9 | Silicone oil |
| 1338-43-8 | Sorbitan monooleate |
| 9005-65-6 | Polysorbate 80 |
| 532-32-1 | Sodium benzoate |
| 54464-57-2 | Isocyclemone E |
| 127-51-5 | Alpha-isomethylionone |
| 80-54-6 | Lilial |
| 1222-05-5 | Galaxolide |
| 127-42-4 | alpha-Cetone |
| 90-17-5 | Rosacetol |
| 60-12-8 | Phenylethyl alcohol |
| 140-11-4 | Benzyl acetate |
| 78-70-6 | Linalool |
| 93-92-5 | Styralyl acetate |
| 142-92-7 | Hexyl acetate |
| 104-67-6 | Undecan-4-olide |
| 24851-98-7 | Methyl dihydrojasmonate |
| 151-05-3 | Dimethyl benzyl carbinyl acetate |
| 18479-58-8 | Dihydromyrcenol |
| 110-98-5 | 1,1'-oxydipropan-2-ol |
| 120-51-4 | Benzyl benzoate |
| 1506-02-1 | Acetyl hexamethyl tetralin |

·Proposition 65

·Chemicals known to cause cancer: None of the ingredients is listed.

·Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.

·Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.

·Chemicals known to cause developmental toxicity: None of the ingredients is listed.

·Washington, WAC 173-334-130 (CHCC): None of the ingredients is listed.

·Chemicals of Concern, published by Maine DEP on July, 2015: None of the ingredients is listed.

Safety Data Sheet

OSHA 29 CFR 1910.1200

Printed Date: December 7, 2020

Version No.: 1.0

Revision: December 7, 2020

Trade Name: FURNITURE POLISH

·**Chemicals of High Concern to Children, published by Department of Health, Vermont, Rev Date Nov 24, 2014:** None of the ingredients is listed.

·**High Priority Chemicals of Concern for children's Health, Oregon, update on May 18, 2016:** None of the ingredients is listed.

·**Carcinogenicity categories**

·**EPA (Environmental Protection Agency):** None of the ingredients is listed.

·**TLV (Threshold Limit Value established by ACGIH):** None of the ingredients is listed.

·**NIOSH-Ca (National Institute for Occupational Safety and Health):** None of the ingredients is listed.

·**OSHA-Ca (Occupational Safety & Health Administration):** None of the ingredients is listed.

16 Other information

The contents and format of this SDS are in accordance with 29 CFR 1910.1200(g).

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

·**Abbreviations and acronyms:**

DOT: Department of Transportation

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association

LD50: Lethal dose, 50 percent

LC50: Lethal concentration, 50 percent

EC50: Concentration of maximal effect, 50 percent

NOEC: No observed effect concentration

BOD₅: Five days biochemical oxygen demand

COD: Chemical oxygen demand

PEL: Permissible Exposure Limit

TLV: Threshold limit value

REL: Recommended Exposure Limit

End of safety data sheet